## **CERTIFICATE**

Certificate number C871526OBP.REC-01.2022

Field of attention:

Ocean Bound Plastic
OBP Recycling Subprogram

Awarded to:

Heng Hiap Industries SDN. BHD.
PLO 138, Jalan Nibong,
Kawasan Perindustrian Tanjung Langsat,
81700, Pasir Gudang, Johor,
Malaysia.

Audit method: On-site

Standard:

# OCEAN BOUND PLASTIC RECYCLING ORGANIZATION STANDARD V2 Single Site

Control Union Certifications declares to have audited the unit (s), and/or products of the certificate holder mentioned above and to have found it in accordance with the standards mentioned above.

This certificate remains in force until further notice, provided that the afore-mentioned licensee remains in compliance with the requirements as laid down in the license agreement with Control Union Certifications. Based on the annual inspections performed by Control Union Certifications, this certificate remains:

Valid until: 08 September 2023

Date of certification: 09 September 2022

Place and date of issue: Navi Mumbai, 09 September 2022



Declared by:

Mr. Nitin Thorat Certifier

On behalf of the Managing Director Mr. Kris Van den Keybus

C871526OBP.REC-01.2022

Name of Certificate Holder: Heng Hiap Industries SDN. BHD.

Address: PLO 138, Jalan Nibong, Kawasan Perindustrian

Tanjung Langsat, 81700, Pasir Gudang, Johor, Malaysia.

This certificate, referred in the client contract as scope certificate, covers the following product (s) and unit (s) which complies with the **Ocean Bound Plastic Recycling Organization Standard v2** for Single Site and Supply Chain Model: SM

## **Certified OBP products**

OBP Category	OBP Source	Plastic and Product Type	% OBP in the product
Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	100%
Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	100%
Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PP Pellets	100%
Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	100%
Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	100%
Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PP Pellets	100%
Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	100%
Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	100%
Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PP Pellets	100%
Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	100%
Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	100%
Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PP Pellets	100%
Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	100%
Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	100%
Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low	PP Pellets	100%
	Recyclable Potential OBP  Recyclable Shoreline OBP  Recyclable Potential OBP  Recyclable Shoreline OBP  Recyclable Shoreline OBP  Recyclable Potential OBP  Recyclable Potential OBP  Recyclable Potential OBP  Recyclable Shoreline OBP  Recyclable Shoreline OBP  Recyclable Shoreline OBP  Recyclable Potential OBP  Recyclable Potential OBP  Recyclable Potential OBP  Recyclable Shoreline OBP  Recyclable Shoreline OBP  Recyclable Shoreline OBP  Recyclable Potential OBP  Recyclable Shoreline OBP	Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits  Recyclable Waterways OBP Within 200m of both riverbanks.  Recyclable Shoreline OBP in river stream or within 200m from the highest tide limit and 100m into the sea of low tide limit.  Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits  Recyclable Shoreline OBP in river stream or within 200m of both riverbanks.  Recyclable Shoreline OBP within 50 km from the Shoreline and 100 m into the sea of low tide limit.  Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits  Recyclable OBP in river stream or within 200m of both riverbanks.  Recyclable Shoreline OBP in land within 200m from the highest tide limit and 100m into the sea of low tide limit.  Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limit.  Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limit.  Recyclable Potential OBP in river stream or within 200m of both riverbanks.  Recyclable Shoreline OBP in river stream or within 200m of both riverbanks.  Recyclable Potential OBP in land within 200m from the highest tide limit and 100m into the sea of low tide limit.  Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limit.	Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits  Recyclable Shoreline OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits  Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits  Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limit.  Recyclable Shoreline OBP in river stream or within 200m of both riverbanks.  Recyclable Shoreline OBP in river stream or within 200m of both riverbanks.  Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limit.  Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limit.  Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limit.  Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits  Recyclable Shoreline OBP within 50 km from the Shoreline and 100 m into the sea of low tide limit.  Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limit.  Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limit.  Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limit.  Recyclable OBP in river stream or within 200m from the highest tide limit and 100m into the sea of low tide limits  Recyclable Shoreline OBP inland within 200m from the highest tide limit.  Recyclable Potential OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits  Recyclable Potential OBP inland within 200m from the highest tide limit.  Recyclable Potential OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limits  Recyclable OBP inland within 200m from the bighest tide limit and 100m into the sea of low tide limits

C871526OBP.REC-01.2022

Name of Certificate Holder: Heng Hiap Industries SDN. BHD.

Address: PLO 138, Jalan Nibong, Kawasan Perindustrian

Tanjung Langsat, 81700, Pasir Gudang, Johor, Malaysia.

Commercial Name	OBP Category	OBP Source	Plastic and Product Type	% OBP in the product
PP Red	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	100%
PP Red	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	100%
PP Red	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PP Pellets	100%
PP Black	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	100%
PP Black	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	100%
PP Black	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PP Pellets	100%
PP White	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	100%
PP White	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	100%
PP White	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PP Pellets	100%
PP Dark Grey	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	100%
PP Dark Grey	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	100%
P Dark Grey	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PP Pellets	100%
P Living Coral	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	100%
P Living Coral	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	100%
P Living Coral	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PP Pellets	100%
<sup>2</sup> Green (3295C)	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	100%
P Green (3295C)	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	100%

C871526OBP.REC-01.2022

Name of Certificate Holder: Heng Hiap Industries SDN. BHD. Address: PLO 138, Jalan Nibong, Kawasan Perindustrian

Tanjung Langsat, 81700, Pasir Gudang, Johor, Malaysia.

Commercial Name	OBP Category	OBP Source	Plastic and Product Type	% OBP in the product
PP Green (3295C)	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PP Pellets	100%
PP Black GF 20%	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	80%
PP Black GF 20%	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	80%
PP Black GF 20%	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PP Pellets	80%
PP Black GF 10% & TALC 20%	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	70%
PP Black GF 10% & TALC 20%	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	70%
PP Black GF 10% & TALC 20%	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PP Pellets	70%
PP Natural (EN71- 3 Compliance)	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	100%
PP Natural (EN71- 3 Compliance)	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	100%
PP Natural (EN71- 3 Compliance)	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PP Pellets	100%
PP Natural	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	100%
PP Natural	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	100%
PP Natural	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PP Pellets	100%
PP Natural with 10% Talc	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PP Pellets	60%
PP Natural with 10% Talc	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PP Pellets	60%
PP Natural with 10% Talc	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PP Pellets	60%

C871526OBP.REC-01.2022

Name of Certificate Holder: Heng Hiap Industries SDN. BHD.

Address: PLO 138, Jalan Nibong, Kawasan Perindustrian

Tanjung Langsat, 81700, Pasir Gudang, Johor, Malaysia.

Commercial Name	OBP Category	OBP Source	Plastic and Product Type	% OBP in the product
LDPE Natural	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	LDPE Pellets	100%
LDPE Natural	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	LDPE Pellets	100%
LDPE Natural	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	LDPE Pellets	100%
LLDPE White	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	LLDPE Pellets	100%
LLDPE White	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	LLDPE Pellets	100%
LLDPE White	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	LLDPE Pellets	100%
LLDPE Natural	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	LLDPE Pellets	100%
LLDPE Natural	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	LLDPE Pellets	100%
LLDPE Natural	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	LLDPE Pellets	100%
HDPE Blow Natural	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	HDPE Pellets	100%
HDPE Blow Natural	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	HDPE Pellets	100%
HDPE Blow Natural	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	HDPE Pellets	100%
HDPE Blow Red	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	HDPE Pellets	100%
HDPE Blow Red	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	HDPE Pellets	100%
HDPE Blow Red	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	HDPE Pellets	100%
PET	Recyclable Potential OBP	OBP within 50 km from the Shoreline and 100 m into the sea of low tide limits	PET Pellets	100%
PET	Recyclable Waterways OBP	OBP in river stream or within 200m of both riverbanks.	PET Pellets	100%
PET	Recyclable Shoreline OBP	OBP inland within 200m from the highest tide limit and 100m into the sea of low tide limit.	PET Pellets	100%

C871526OBP.REC-01.2022

Name of Certificate Holder: Heng Hiap Industries SDN. BHD.

Address: PLO 138, Jalan Nibong, Kawasan Perindustrian

Tanjung Langsat, 81700, Pasir Gudang, Johor, Malaysia.

#### Certified units and activity

PRC	Unit	Address	Activity
113666	Heng Hiap Industries SDN. BHD.	PLO 138, Jalan Nibong, Kawasan Perindustrian Tanjung Langsat, 81700, Pasir Gudang, Johor, Malaysia.	Factory [Collection, sorting, crushing, washing, manufacturing, pyrolysis, packing, storage]

This scope certificate, in conformity with client's licensee agreement, and based on the Ocean Bound Plastic schemes standards, gives the right to make claims related to this certification for the product (s), unit (s) and process (es) mentioned above.

This certificate including the annex remains the property of Control Union Certifications and can be withdrawn in case of terminations as mentioned in the licensee agreement, or in case changes or deviations of the above-mentioned data occur. The licensee is obliged to inform Control Union Certifications immediately of any changes in the above-mentioned data. Only an original and signed certificate is valid.

Date of certification: 09 September 2022

Place and date of issue: Navi Mumbai, 09 September 2022



Declared by:

Mr. Nitin Thorat Certifier

On behalf of the Managing Director Mr. Kris Van den Keybus